

FIRST STEPS → TEST ENVIRONMENT → EXPERIENCE → REQUIREMENTS → START TRIAL

BEGINNER

TEST BASIC FUNCTIONS

Search process

Model process

Select views

Store roles

Release process

ADVANCED

APPLY FUNCTIONS

Build a Process House

Make process changes

Store information and objects

Design an organigram

EXPERT

LEARN MORE FUNCTIONS

Create variants

Apply filters/stereotypes

Oreate process maps

Mapp end-to-end processes

Assign permissions



FIRST STEPS → TEST ENVIRONMENT → EXPERIENCE → REQUIREMENTS → START TRIAL

BEGINNER

TEST BASIC FUNCTIONS

Search process

Model process

Select views

Store roles

Release process

ADVANCED

APPLY FUNCTIONS

Build a Process House

Make process changes

Store information and objects

Design an organigram

EXPERT

LEARN MORE FUNCTIONS

Create variants

Apply filters/stereotypes

Oreate process maps

Mapp end-to-end processes


Assign permissions



Search Process

Log In






Log in with access data received by mail

Get familiar with Symbio work area

Navigate to one of the following search functions

OPTION 1

Enter search terms



Go to Header

Enter term (use AND/OR)


Filter by field (option)

Select searched term in list

Open link in Detail Content

OPTION 2

Search list content




Navigate to PROCESSES in list view

Click on magnifier icon

Search by content

OPTION 3

Select scope filter





Set Scope filter(s) in Header


See appropriate processes

Non-applicable processes are greyed out

OPTION 4

Enter by role








Model Process

STEP 1

Log In






Log in with access data received by mail

Get familiar with Symbio work area

See user information in Header

STEP 2

Start editing



In 'Viewer' mode, only released processes are shown


Click on 'Viewer' to change to 'Editor' mode

Navigate to PROCESSES to create a new process

STEP 3

Create process






Select Main Process in Navigation Tree

Create Sub Process (BPMN2.0-Diagram)

Start modelling in Main Content

STEP 4

Model process









STEP 5

Store information





Add further information in Detail Content

Update by refresh button O




Select Views

STEP 1

Log In






Log in with access data received by mail

Get familiar with Symbio work area

See user information in Header


STEP 2

Navigate to process



STEP 3

Select view





Automated views can be selected

Different views show the process on a various perspective

STEP 4


Get information






STEP 5

Work with the view



OR



Select to get the process view as pdf

Select to get the process manual

Print out the selected view




Store Roles

STEP 1

Log In





Log in with access data received by mail


Get familiar with Symbio work area

See user information in Header

STEP 2

Start editing






In 'Viewer' mode, only released processes are shown


Click on 'Viewer' to change to 'Editor' mode

Navigate to PROCESSES to create a new process

STEP 3

Create roles







Detailing Roles is done in the Detail Content

STEP 4

Apply known roles








A swimlane is automatically generated for each Responsible (R) role

STEP 5

Apply unknown roles









Release Process

STEP 1

Log In




Model Process

Store Roles

STEP 2

Apply participants




By including a Quality Manager, the process will be first released by him

Responsible is always the last one releasing the process

STEP 3

Initiate release cycle




Go to Version dropdown in Toolbar of Main Content


Select 'Change state'

STEP 4

Check mandatory fields Release process



STEP 5





In case a Quality Manager is set, the state first changes into "Ready for QA"



Invalid end element: Task "Provide consulting service" Invalid end element: Task "Inform about products"

✓ All mandatory attributes have to be maintained

✓ Diagram has to start with a start event
✓ Predecessor of OR rules has to be a task

Diagram has to end with an end event

Predecessor of XOR rules has to be a task

Successor of OR rules has to be a condition

✓ Successor of XOR rules has to be a condition
✓ Diagram cannot contain unconnected elements

FIRST STEPS → TEST ENVIRONMENT → EXPERIENCE → REQUIREMENTS → START TRIAL

BEGINNER

TEST BASIC FUNCTIONS

Search process

Model process

Select views

Store roles

Release process

ADVANCED

APPLY FUNCTIONS

Build a Process House

Make process changes

Store information and objects

Design an organigram

EXPERT

LEARN MORE FUNCTIONS

Create variants

Apply filters/stereotypes

Create process maps

Mapp end-to-end processes

Assign permissions




Build a Process House

STEP 1

Log In





Log in with access data received by mail

Get familiar with Symbio work area

See user information in Header

STEP 2

Start editing




In 'Viewer' mode, only released processes are shown

Click on 'Viewer' to change to 'Editor' mode

Navigate to PROCESSES to create a new process

STEP 3

Create first levels




STEP 4

Store information



STEP 5

Release Process House



Release process Step 3-5



Make process changes

STEP 1

Log In



Model Process

Store Roles

STEP 2

Create new version



Version: 1.1, In process ₩

Create version

STEP 3


Select multiple objects



Highlight process flow objects that should be modified

STEP 4

Modify process flow



Copy/move selected objects (Feature only available after activation)


Delete selected objects

Add further objects

Swap paths for better layout

STEP 5 (OPTIONAL)

Create favorite/link



Define a favorite or subscribe to process to be informed by mail in case of changes

Create a link to share process with other users




Store information and objects

STEP 1

Log In





Log in with access data received by mail

Get familiar with Symbio work area

See user information in Header

STEP 2

graphic

Start editing



In 'Viewer' mode, only released processes are shown

2 level


table


Click on 'Viewer' to change to 'Editor' mode

Navigate to SYSTEMS

STEP 3

Set object architecture






Define further object architectures for DOCUMENTS, RISKS, REQUIREMENTS etc.

STEP 4

Inputs/Outputs

Define listed objects







Create further objects in a list like roles, locations etc.

Consolidate objects if they are redundant

STEP 5

Release objects



Release process Step 3-5




Design an organigram

STEP 1

Log In





Log in with access data received by mail

Get familiar with Symbio work area

See user information in Header

STEP 2

Start editing




released processes are shown

Click on 'Viewer' to change to 'Editor' mode

Navigate to ORGANIZATION

STEP 3

Set up org structure




STEP 4

Store information







STEP 5

Release organigram



Release process **Step 3-5**

FIRST STEPS → TEST ENVIRONMENT → EXPERIENCE → REQUIREMENTS → START TRIAL

BEGINNER

TEST BASIC FUNCTIONS

Search process

Model process

Select views

Store roles

Release process

ADVANCED

APPLY FUNCTIONS

Build a Process House

Make process changes

Store information and objects

Design an organigram

EXPERT

LEARN MORE FUNCTIONS

Create variants

Apply filters/stereotypes

Create process maps

Mapp end-to-end processes

Assign permissions



Create variants

Prerequisite: Variant options are available (created by Admin)

STEP 1

Log In



Model Process


Store Roles

STEP 2

Create variant



Variants: Master ▼	Version: 0.1, In process
Master	
Create variant	
Update variant	





Select variant via hamburger button

Go back to Toolbar

STEP 3

Set up localizations





Mark task to localize a single element OR

Localize entire process flow

STEP 4

Delocalize






Go to 'Localization reasons' in Detail Content

Click button to delocalize task or process

STEP 5

Update variant





Update only if Master has been changed

Localized element or process flow remain unchanged



Apply filters/stereotypes

Prerequisite: Stereotypes and Tags are available (created by Admin)

STEP 1

Log In




Model Process

Store Roles

STEP 2

Set up Scope filters







Select Scope filter options via hamburger button

If no filters are set, process or object are displayed in any query

STEP 3

Apply Scope filters







Set filter(s) in Header

Non-applicable processes are greyed out

STEP 4: OPTION 1

Set up stereotypes






Go to 'Localization reasons' in Detail Content


Click button to delocalize task or process

STEP 4: OPTION 2

Set task type/marker







Go to Detail Content

Choose task type and/or task marker from dropdown

See BPMN2.0 icon on task (only available after feature activation)

Create process maps

STEP 1

Log In



Build a Process House

Log in with access data received by mail


Model Process House

Go to Navigation Content

STEP 2

Open editor









STEP 3

Select objects





Drag&drop from Stencil Pool to Draw Area

STEP 4

Edit objects







Edit in Draw Settings area and in right mouse button menu

STEP 5

Insert link/add image







Don't forget to save your changes!!!



Map end-to-end processes (scenarios)

STEP 1

Log In



Model process

Log in with access data received by mail


Model Sub Processes

Go to Navigation Content

STEP 2

Create scenario









STEP 3

Insert interfaces









STEP 4

Develop E2E process







Model end-to-end process by using interfaces to existing processes

STEP 5

Apply roles









Assign permissions

Prerequisite: Permission sets are available (created by Admin)
Please note that further Permissions features are available (refer to: https://docs.symbioworld.com/admin)

STEP 1

Log In






Log in with access data received by mail


Get familiar with Symbio work area

Go to Navigation Content

STEP 2

Select process






Use 'Permissions' in Toolbar to assign a specific permission set to a selected process


Also apply for categories or objects if required

STEP 3

Permit user groups









STEP 4

Set permission mode









Choose option whether permissions may be inherited from parent process (or not)

Decide whether permission is exclusive or whether standard set remains unchanged

STEP 5

Verify permissions







See existing permission rights for a specific user



Define Customer Journeys

STEP 1

Log In




Log in with access data received by mail

Go to CUSTOMERS navigation

STEP 2


Set up CEM structure



Create a Customer experience management (CEM) consisting of Customer journey maps below

STEP 3


Work out CJM



Design a Customer journey map (CJM) with the help of dropdown objects

STEP 4


Add information



Create all information that is necessary for the design of a Customer Journey, e.g. points of contact of a consumer with the product, sales paths, participants involved etc.

STEP 5

Store information




Customer journey stages








Find out more in our YouTube tutorials

SYMBIO VIEWER









SYMBIO AUTHOR

